

FRP  
CEMENT  
CASTING  
PLATE

FRP水泥浇筑板



产品介绍  
Product description

产品分类  
Product categories

竹  
Bamboo

褶  
Fold

熔积岩  
Deposition rock

浇筑板  
Casting plate

晰纹石  
Norm of grain stone

三生石  
Sansheng stone

青田石  
Qingtian stone

案例赏析  
Case appreciation

施工说明  
Specifications

企业简介  
Enterprise brief introduction

产品架构  
Product architecture


## FRP水泥浇筑板

### 产品介绍 / FRP水泥浇筑板

Product Description/FRP cement cast plate

FRP水泥两种材质,FRP材质由玻璃纤维,树脂,石粉等复合材料组成,通过拓印,开模,上浆,起模,上色,成型等工艺形成极富创造力的饰面表现效果。

FRP cement two materials,FRP material is composed of glass fiber, resin, stone powder and other composite materials, through rubbing, mold opening, sizing, mold, color, molding and other processes to form a highly creative finish performance effect.



## FRP CEMENT T CASTING PLATE



产品分类:竹/褶/熔积岩/浇筑板/晰纹石/三生石/青田石

表面处理:油性漆/水性漆

防火等级:水泥类A级、树脂类B级

适用空间:商业、展示、公共建筑

适用部位:室内为主、墙面及吊顶

水泥产品:比FRP材质重,产品刚性强,韧性差

FRP产品:韧性好于水泥产品,可以做45°弧度

注:不连纹

Product classification: bamboo/fold/molten rock/pouring plate/clear grain stone/  
Sansheng stone/Qingtian stone

Surface treatment: oil paint/water paint

Fire rating: cement class A, resin class B

Applicable space: commercial, display, public buildings

Applicable parts: indoor, wall and ceiling

Cement products: heavier than FRP material, strong rigidity, poor toughness

FRP products: toughness is better than cement products, can do 45° radian

Note: Not linked



水泥材质背面  
Cement material back



FRP材质背面  
FRP material back

FRP水泥浇筑板



竹 Bamboo

名称:竹

规格:600\*3200mm

材质:水泥/FRP

表面处理:油性漆

常规颜色:灰

Name: bamboo

Specification: 600 \* 3200 mm

Material: Cement /FRP

Surface treatment: oily paint

Regular color: g ray

## FRP CEMENT CASTING PLATE




对比:水泥浇筑板竹模相比价格更便宜

注:只有凸模,没有凹模

Comparison: cement cast board bamboo mold is cheaper than the price

Note: Only punch, no die

## FRP水泥浇筑板




优势:褶皱银可以实现锡箔纸的效果且防水防火

Advantages: Ruffled silver can achieve the effect of tin foil and waterproof and fireproof




## FRP CEMENT CASTING PLATE



① Fold - black 褶-黑



② Fold - white 褶-白



③ Fold - grey 褶-灰



④ Fold - yellow 褶-黄



⑤ Fold - silver 褶-银

### 褶 Fold

名称: 褶

规格: 1000\*3000mm

材质: FRP

表面处理: 油性漆

常规颜色: 黑白灰黄银

Name: fold

Specification: 1000 \* 3000 mm

Material: FRP

Surface treatment: oily paint


Regular color: black , white, gray,  
yellow and silver

FRP水泥浇筑板





FRP水泥浇筑板





① Molten rock - white 熔积岩—白



② Molten rock - ash 熔积岩—灰



③ Molten rock - earthy yellow 熔积岩—土黄



④ Molten rock - black 熔积岩—黑

### 熔积岩 Deposition rock

规格:1300\*3000mm

材质:FRP

表面处理:水性漆

常规颜色:黑白灰黄

Specification: 1300 \* 3000 mm

Material: FRP

Surface treatment: water-based paint

Regular color: black , white, gray and yellow

FRP水泥浇筑板

浇筑板 Casting plate

名称: 浇筑板

规格: 1200\*3200mm

材质: 水泥/FRP

表面处理: 水性漆

Name: Cast board

Specification: 1200 \* 3200 mm

Material: Cement /FRP

Surface treatment: water-based paint



①

浇筑板—黑  
Cast board -- black




②

浇筑板—白  
Cast plate - white



③

浇筑板—灰  
Cast plate - ash



④

浇筑板—土黄  
Cast board - earth yellow



# CASTING PLATE

FRP水泥浇筑板—浇筑板

FRP CEMENT CASTING PLATE

## FRP水泥浇筑板优势

FRP cement casting plate advantage

D/B系列水泥浇筑板相比

- 1.颜色多,FRP材质还可做弧度
- 2.价格更便宜

D/B series cement pouring plate compared

1. Many colors , FRP material can also make radians
2. The price is cheaper

FRP水泥浇筑板



### 「优势」

晰纹石质感逼真、肌理自然, 让墙面打破原有规律。

Clear grain stone quality feeling lifelike, texture nature, let metope break original law.





①  
Clear grain stone - black  
晰纹石—黑

②  
Clear grain stone - white  
晰纹石—白

③  
Clear grain stone - gray  
晰纹石—灰

④  
Clear grain stone - earthy yellow  
晰纹石—土黄

### 晰纹石 Norm of grain stone

名称:晰纹石

规格:1200\*3200mm

材质:FRP

表面处理:水性漆


Name: clear grain stone

Specification: 1200 \* 3200 mm

Material: FRP

Surface treatment: water-based paint

FRP水泥浇筑板



①  
Sansheng stone - black  
三生石—黑

②  
Sansheng stone - white  
三生石—白

③  
Sansheng stone - ash  
三生石—灰

④  
Sansheng stone - earth yellow  
三生石—土黄

三生石

名称:三生石  
规格:1200\*3200mm  
材质:FRP  
表面处理:水性漆  
常规颜色:黑白灰黄

Sansheng stone

Name: Sansheng stone  
Specification: 1200 \* 3200 mm  
Material: FRP  
Surface treatment: water-based paint  
Regular color: black, white, gray and yellow




### 三生石优势 Sansheng stone advantage

- 1.FRP材质三生石,无缝衔接,装饰效果好;
- 2.轻质有韧性,表面纹理乱中有序,质感逼真;
- 3.快捷安装好运输。


- 1.FRP material three raw stone, seamless connection, good decorative effect;
2. Light and ductile, orderly surface texture, realistic texture;
3. Install and transport quickly.

## FRP水泥浇筑板

Qingtian Stone No.1  
青田石1号  
(黑、白、灰、黄)





Qingtian Stone No.2  
青田石2号  
(黑、白、灰、黄)




Qingtian Stone No.3  
青田石3号  
(黑、白、灰、黄)




Qingtian Stone No.4  
青田石4号  
(黑、白、灰、黄)




Qingtian Stone No.5  
青田石5号  
(黑、白、灰、黄)



Qingtian Stone No.6  
青田石6号  
(黑、白、灰、黄)





## 青田石 Qingtian stone

名称: 青田石

规格: 青田石1号400\*2400mm

青田石2号2400\*440mm

青田石3号2400\*600mm

青田石4号2350\*600mm

青田石5号2400\*600mm

青田石6号2350\*800mm

材质: 水泥/FRP

表面处理: 水性漆

常规颜色: 黑 白 灰 黄

Name: Qingtian Stone

Specification: Qingtian Stone No.1 400\*2400mm

Qingtian Stone No.2 2400\*440mm

Qingtian Stone No.3 2400\*600mm

Qingtian Stone No.4 2350\*600mm

Qingtian Stone No.5 2400\*600mm

Qingtian Stone No.6 2350\*800mm

Material: Cement /FRP

Surface treatment: water-based paint


Regular color: black , white, gray and yellow

FRP水泥浇筑板





## FRP水泥浇筑板



错缝漏浆木纹 Wood grain with misjoint leakage

规则 Size: 1200\*3200mm



德清石 Deqing stone

规则 Size: 1200\*2900mm



立体木纹板 Three-dimensional wood grain plate

规则 Size: 1200\*3200mm




流水石 Flowing water stone

规则 Size: 1200\*3200mm(1100\*3100mm)




FRP水泥浇筑板



仿砖墙 Imitation brick wall

规则 Size: 1200\*3200mm



FRP水泥浇筑板




新开岩 Newly opened rock

规则 Size: 1200\*3200mm



竹凹纹 Bamboo concave grain

规则 Size: 600\*3150mm



竹凸纹新款 Bamboo embossed new style

规则 Size: 600\*3150mm

FRP水泥浇筑板

M  
O  
D



BAG C



劈开岩-白色 Split up rock-white



劈开岩-灰色 Split up rock-grey



劈开岩-黑色 Split up rock-black



劈开岩-土黄 Split up rock-Earthy yellow

**劈开岩** Split up rock

常规颜色：黑白灰黄

规则 Size: 1200\*3200mm(1000\*3050mm)

FRP水泥浇筑板



松木纹 Pine wood grain


规则 Size: 1200\*3200mm(1000\*3050mm)

FRP水泥浇筑板



月球漫步 Walk on the Moon

规则 Size: 3100\*950mm



FRP水泥浇筑板



①  
Striated rock - No. 1  
连纹页岩石—1号

②  
Striated rock - No. 2  
连纹页岩石—2号

③  
Striated rock - No. 3  
连纹页岩石—3号

④  
Striated rock - No. 4  
连纹页岩石—4号

连纹页岩石

名称:连纹页岩石  
规格:2980\*980mm  
材质:FRP  
表面处理:水性漆  
常规颜色:黑

Striated rock

Name: laminated page rock  
Size: 2980\*980mm  
Material: FRP  
Finish: Water based paint  
Regular color: Black

FRP水泥浇筑板案例赏析  
Case appreciation


FRP CEMENT CASTING PLATE





FRP水泥浇筑板-浇筑板-材料实景应用案例





CASTING PLATE


FRP水泥浇筑板-褶-材料实景应用案例






FRP水泥浇筑板-熔积岩-材料实景应用案例







FRP CEMENT CASTING PLATE

# KARMA STONE






FRP水泥浇筑板-竹-材料实景应用案例







## 「施工说明」

准备工具:无齿锯、结构胶、FRP水泥装饰板、水平仪、盒尺、修补剂、色浆

铺贴工艺:

1:到货后检查产品是否有破损;

2:裁切:无齿锯/瓷砖裁切锯,在背面裁切,以免破坏表面颜色等;

3:修补:先用修补剂把缝隙填上,再刷色浆即可

4:施工:施工时水平仪测量墙体平整度,盒尺测量安装位置,平整的水泥墙可直接结构胶粘贴,粘贴好再用气钉固定,不平整的墙面用木工板打底,在产品背面涂结构胶粘贴即可;

5:FRP材质有一定韧性,可做45°弧。

施工注意:

内墙不可以用石膏板来做基层,因为石膏板表面有纸面,导致粘贴不牢固。

a修补剂:浇筑板每三片配一公斤,其他每两片配一公斤。

b色浆:3米长的缝隙,配半公斤的色浆。

## Specifications

Tools: toothless saw, structural glue, FRP cement decorative plate, level, box ruler, modifier, color paste


### Paving and pasting process:

- 1: Check whether the products are damaged after arrival;
- 2: cutting: toothless saw/tile cutting saw, cutting on the back, so as not to damage the surface color, etc.;
- 3: Repair: first fill the gap with repair agent, and then brush the color paste
- 4: construction: construction level measurement wall flatness, box ruler measurement installation position, flat cement wall can be directly structure adhesive paste, paste good and then fixed with air nails, uneven wall with wood working board, on the back of the product coated with structural adhesive paste can be;
- 5: FRP material has a certain toughness, can do 45° arc.

### Note for construction:

The interior wall can not be used to do the base, because there is paper on the surface of the gypsum board, causing the paste is not firm.

- A: One kilogram for every three pieces of pouring plate and one kilogram for every two pieces of other plate.  
 B Color paste: 3 meters long gap, with half a kilogram of color paste.



company

## 「企业简介」 Enterprise brief introduction

意匠是一家专注运行新型创意材料领域建材公司

经过9年沉淀,在服务设计师的过程中,积累很多经验,解决很多行业痛点,也得到发展,  
目前团队运营服务人员200人+  
从产品研发,生产,OEM,代理,进口,仓存,物流服务,销售服务一体化

目前公司产品系列100+类,数以万计的款式来供设计师选材  
在服务中,公司通过管理方式和市场需求反馈打造严格的供应链管理体系,保证设计师用材的安全  
内部拥有ERP业财一体化的共享体系,让服务人员更高效的服务好每一位设计师,解决好设计师每一个问题



目前公司在抖音、小红书、快手、微信中,有300万+设计师粉丝  
与合作伙伴携手推动国内新型材料的宣传与应用  
在新型材料领域中贡献一份力量

希望通过解决,总结,精进设计师的问题,能更好的服务设计师  
我们携手合作伙伴为行业赋能

意匠愿景·让每位设计师放心选用新材  
意匠使命·与设计与行 专注设计师需求  
意匠价值观·用心服务设计 成就员工事业

Yijiang is a building materials company focusing on the operation of new creative materials  
After 9 years of precipitation, in the process of serving designers, I accumulated a lot of experience, solved a lot of industry pain points, and got development at the same time  
At present, the team has more than 200 operation and service staff  
From product development, production, OEM, agent, import, warehousing, logistics services, sales and service integration  
At present, the company's product series of 100+ categories, tens of thousands of styles for designers to choose materials  
In the service, the company through the management and market demand feedback to create a strict supply chain management system, to ensure the safety of designer materials  
Internal ERP industry and finance integration of the sharing system, so that the service staff more efficient service to every designer, solve every problem of designers.  
At present, the company has more than 3 million designer fans in Douyin, Xiaohongshu, Kuaishou and wechat  
Work with partners to promote the promotion and application of new materials in China  
Make a contribution in the field of new materials  
It is hoped that by solving, summarizing and improving the problems of designers, designers can be better served  
We work with partners to empower the industry

Yijiang go with design.



专业化设计深化服务 / 项目产品推荐服务 / 解决功能性服务 / 大平台共享服务

## 「意匠产品架构」 Product architecture

意匠经营多年，产品不断迭代，意匠产品线现拥有100多品类，现今意匠上线产品40多个品类，水泥、金属、玻璃、树脂...

意匠研发团队使用意匠产品线更具竞争力，每月结合销售调整产品线品类，上新、下架、开发新产品。

Yijiang has been operating for many years, and the products have been iterated constantly. The product line of Artisan now has more than 100 categories. Today, artisan has more than 40 categories of products on the line, such as cement, metal, glass, resin...

Yijiang R & D team using creative product line more competitive, monthly combined with sales to adjust product line categories, new, off the shelf, development of new products.

**意匠自有工厂** 产品研发生产效率可控

Yijiang has its own factories—The production efficiency of product research and development is controllable

**自主研发款式 OEM代工** 以需求定产品，保证产品唯一性

Independent research and development style OEM—According to the demand to determine the product, ensure the uniqueness of the product

**国外代理** 全国唯一性

Foreign agent—National uniqueness

**国内新材渠道代理** 价格优势，推广优势

Domestic new material channel agent—Price advantage, promotion advantage



H系列PU大板  
H series PU large board

S系列软石  
S series soft stone

艺术浇筑板  
Art poured board

Q系列水泥构件  
Q series cement member

L系列PU饰面板  
L series PU decorative panel

K系列水晶砖  
K series crystal brick

L系列透光水泥  
L series transparent cement

FRP水泥浇筑板  
FRP cement casting plate

L系列水泥构件  
L series cement member

K系列发泡陶瓷  
K series foamed ceramics

水泥装饰板  
Cement decorative board

泡沫铝  
Aluminum foam

L系列空心玻璃砖  
L series hollow glass brick

F系列创意模块  
F Series creative module

J系列水波纹板  
J series water corrugated plate

石膏机理板  
Gypsum mechanism plate

N系列手工砖  
N series handmade brick

B系列金属型材  
B series metal profile

电镀石材  
Electroplating stone

M系列造型砖  
M series modeling brick

超清镜面板  
Ultra clear mirror plate

H系列手工砖  
H series handmade brick

D系列造型砖  
D series modeling brick

玉石玻璃  
Jade glass

杜邦纸  
Dupont paper

M系列手工砖  
M series handmade brick

B系列水泥浇筑板  
B series cement pouring plate

Q系列超薄石材  
Q series ultra-thin stone

J系列空心玻璃砖  
J series hollow glass brick

C系列软石  
C series soft stone

竹藤藤编  
Bamboo rattan cane weaves

A系列水磨石瓷砖  
A series terrazzo tile

3D砖  
3 d brick

M系列聚酯吸音板  
M series polyester sound-absorbing board

N系列水泥浇筑板  
N series cement cast plate

电镀火山岩  
Electroplated volcanic rock

三聚氰胺地板  
Melamine flooring

商业空间饰面防火板  
Commercial space veneer fire panels

弹性地板  
The elastic floor

深渊镜  
The deep mirror

G系列金属线条  
G series metal lines

永生苔藓  
Living moss

压纹铝板  
Embossing aluminum plate

Y系列创意模块  
Y series creative module

金属踢脚线  
Metal kicking line

洞石瓷砖  
Hole in the stone tile

G系列瓦片  
G series tiles

G系列水泥浇筑板  
G series cement pouring plate

W系列金属线条  
W series of metal lines

火山岩-石家庄  
Volcanic Rocks - Shijiazhuang

树脂马赛克  
Mosaic of resin

Y系列亚克力板  
Y series acrylic sheet

超黑砖  
Super black brick

诧寂小花砖  
Surprise silent flower brick

火山岩-云南  
Volcanic Rocks - Yunnan

PVC编织地毯  
PVC woven carpet

Z系列水晶砖  
Z series crystal brick

M系列莫兰迪瓷砖  
M series Morandi tile

B系列通货地板  
B series currency floor

Z系列发泡陶瓷  
Z series foaming ceramics

F系列水磨石瓷砖  
F series terrazzo tile

木丝吸音板  
Wood silk sound-absorbing board

D系列水泥浇筑板  
D series cement cast plate

F系列金属型材  
F series metal profiles

C系列莫兰迪瓷砖  
C Series Morandi tile

Y系列聚酯吸音板  
Y-series polyester sound-absorbing panels

户外栈道地板型材  
Outdoor walkway floor profile

木艺板  
Wooden plate

意匠与设计同行



官方  
企业  
微信

意匠 运营中心 [stepsmaterial.com](http://stepsmaterial.com)

北方地区 | 河北省廊坊市霸州工业区

华南地区 | 广东省佛山市顺德智富园工业

华东地区 | 浙江省杭州市西湖区凤凰创意园

**意匠与设计同行**  
YUJIANG GO WITH DESIGN